



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/598,255	04/20/2007	Chee Keong Phuah	3869/050 US	1948
22440	7590	09/01/2011	EXAMINER	
GOTTLIEB RACKMAN & REISMAN PC			WANG, CHANG YU	
270 MADISON AVENUE				
8TH FLOOR			ART UNIT	PAPER NUMBER
NEW YORK, NY 10016-0601			1649	
			MAIL DATE	DELIVERY MODE
			09/01/2011	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	10/598,255	PHUAH ET AL.
	<b>Examiner</b>	<b>Art Unit</b>
	CHANG-YU WANG	1649

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

1) Responsive to communication(s) filed on 22 August 2006.

2a) This action is **FINAL**.                            2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

4) Claim(s) 1-48 is/are pending in the application.

4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.

5) Claim(s) \_\_\_\_\_ is/are allowed.

6) Claim(s) \_\_\_\_\_ is/are rejected.

7) Claim(s) \_\_\_\_\_ is/are objected to.

8) Claim(s) 1-48 are subject to restriction and/or election requirement.

#### Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on \_\_\_\_\_ is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

a) All    b) Some \* c) None of:

1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

1)  Notice of References Cited (PTO-892)  
 2)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  
 3)  Information Disclosure Statement(s) (PTO/SB/08)  
 Paper No(s)/Mail Date \_\_\_\_\_.

4)  Interview Summary (PTO-413)  
 Paper No(s)/Mail Date. \_\_\_\_\_ .  
 5)  Notice of Informal Patent Application  
 6)  Other: \_\_\_\_\_.

***Election/Restrictions***

1. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.

Group I, claim(s) 1-24, drawn to a method of determining a patient cardiac condition and optionally providing treatment by using a CPAP apparatus for treating sleep disordered breathing.

Group II, claim(s) 25-48, drawn to a CPAP apparatus.

2. The inventions listed as Groups I-II do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The 1<sup>st</sup> claimed invention is drawn to a method of determining a patient cardiac condition and optionally providing treatment by using a CPAP apparatus for treating sleep disordered breathing, which is anticipated by prior art references. As found in the International Search Report, the Invention of the Group I was found to have no special technical feature that defined the contribution over the prior art of US6029665 (Berthon-Jones, as in IDS). Berthon-Jones et al. teach a method of determining a patient cardiac condition and optionally providing treatment by using a CPAP apparatus for treating sleep disordered breathing, which meets the limitation of the claim 1 (see col.2, lines 1-

39; col.4, line 21-col.6, line 37, in particular). Therefore, claim 1 is anticipated by US6029665 (Berthon-Jones). Since the 1<sup>st</sup> claimed invention has no special technical feature, it cannot share a special technical feature with the other claimed inventions. Thus, Applicant's inventions do not contribute a special technical feature when viewed over the prior art, they do not have a single inventive concept and so lack unity of invention.

In addition Group I is directed to a technical feature of determining a patient cardiac condition and optionally providing treatment by using a CPAP apparatus for treating sleep disordered breathing. Group II is directed to a technical feature of a CPAP apparatus. Therefore, the above Inventions do not share a common special technical feature as they comprise different steps and utilize different products. For example, a method for treating patients does not have a same corresponding technical feature as in an apparatus because the patients are not required by the apparatus. Accordingly, Groups I-II are not so linked by the same or a corresponding special technical feature within meaning of PCT Rule 13.1 so as to form a single general inventive concept.

3. The examiner has required restriction between product and process claims. Where applicant elects claims directed to the product, and the product claims are subsequently found allowable, withdrawn process claims that depend from or otherwise require all the limitations of the allowable product claim will be considered for rejoinder. All claims directed to a nonelected process invention must require all the limitations of an allowable product claim for that process invention to be rejoined.

In the event of rejoinder, the requirement for restriction between the product claims and the rejoined process claims will be withdrawn, and the rejoined process claims will be fully examined for patentability in accordance with 37 CFR 1.104. Thus, to be allowable, the rejoined claims must meet all criteria for patentability including the requirements of 35 U.S.C. 101, 102, 103 and 112. Until all claims to the elected product are found allowable, an otherwise proper restriction requirement between product claims and process claims may be maintained. Withdrawn process claims that are not commensurate in scope with an allowable product claim will not be rejoined. See MPEP § 821.04(b). Additionally, in order to retain the right to rejoinder in accordance with the above policy, applicant is advised that the process claims should be amended during prosecution to require the limitations of the product claims. **Failure to do so may result in a loss of the right to rejoinder.** Further, note that the prohibition against double patenting rejections of 35 U.S.C. 121 does not apply where the restriction requirement is withdrawn by the examiner before the patent issues. See MPEP § 804.01.

4. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

5. Any inquiry of a general nature or relating to the status of this general application should be directed to the Group receptionist whose telephone number is (571) 272-1600.

Papers relating to this application may be submitted to Technology Center 1600, Group 1649 by facsimile transmission. The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). Should applicant wish to FAX a response, the current FAX number for Group 1600 is (571) 273-8300.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chang-Yu Wang, Ph.D. whose telephone number is (571) 272-4521. The examiner can normally be reached on Monday-Thursday and every other Friday from 8:30 AM to 5:30 PM. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jeffrey Stucker, can be reached at (571) 272-0911.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chang-Yu Wang  
August 15, 2011

/Chang-Yu Wang/  
Primary Examiner, Art Unit 1649